

# Bitcoin and Altcoin Wallets 2.0.2 reference manual

dashed-slug info@dashed-slug.net

## Abstract

This is the reference manual for the **Bitcoin and Altcoin Wallets** plugin, version **2.0.2** for WordPress.

## Introduction

**Turn your blog into a bank: Let your users deposit, withdraw, and transfer bitcoins and altcoins on your site.**

## Disclaimer

**By using this free plugin you assume all responsibility for handling the account balances for all your users.**

Under no circumstances is dashed-slug.net or any of its affiliates responsible for any damages incurred by the use of this plugin.

Every effort has been made to harden the security of this plugin, but its safe operation depends on your site being secure overall.

You, the administrator, must take all necessary precautions to secure your WordPress installation before you connect it to any live wallets.

You are strongly recommended to take the following actions (at a minimum):

- educate yourself about hardening WordPress security
- install a security plugin such as Wordfence

*By continuing to use the **Bitcoin and Altcoin Wallets** plugin, you agree that you have read and understood this disclaimer.*

## APIs, APIs everywhere!

The modular philosophy of the Bitcoin and Altcoin Wallets plugin is about **providing programmatic** access to an **abstraction layer** that can then talk to a **bitcoin** wallet or to other cryptocurrencies.

In simple English: You and others can build and use applications that do financial transactions, without worrying about the implementation details of each coin, or about UI issues, accounting, etc.

### For site administrators

- Install wallet daemons
- Install this plugin and configure it to use your wallets.
- Insert the simple shortcodes into your site's content.

### For developers

If you're a developer, by now you will probably be asking:

Can I see the software stack diagram?

OK, here it is:



Figure 1: software stack

## **Features overview**

### **Deposit crypto**

Your users can now deposit and withdraw Bitcoins.

### **Fees**

You set the fees that your users pay to you when they transact or withdraw coins.

### **Altcoins**

Easily interface to other cryptocurrencies besides Bitcoin. Simply install the provided altcoin adapters for the currency you require.

### **User transactions**

Users can transfer coins to other users.

### **Front-end UI**

Present a simple, knockout.js-enabled frontend UI using shortcodes. Or roll your own.

### **Notifications**

Users are notified by email whenever they perform transactions. Or bind to the relevant actions and code your own type of notification in PHP.

### **User accounts**

Accounting is taken care of internally.

### **DB storage**

All accounting data is stored safely and efficiently in your database.

## **Easy backups**

Export accounting data to .CSV backup files with one click. Import again with ease.

## **Pluggable architecture**

PHP and JSON APIs give access to the wallets from your theme or other plugins. Look out for more apps that build on this awesome APIs in the near future, or create your own!

## **Documentation**

PDF Documentation explains the ins and outs of this plugin in detail. Full PHPdoc is included for the PHP API.

## FAQ

### Is it secure?

The Bitcoin and Altcoin Wallets plugin is only as secure as your WordPress installation. Regardless of whether you choose to install this plugin, you should have already taken steps to secure your WordPress installation. At a minimum you should do the following:

- Install a security plugin such as Wordfence.
- Read the Codex resources on Hardening WordPress.

### Do I really need to run a full node? bitcoind is too resource-hungry for my server.

Running a full node requires the full blockchain to be downloaded.

From version 1.1.0 onward, this plugin is compatible with the bittiraha-walletd wallet. From the project's description on GitHub:

Lightweight Bitcoin RPC compatible HD wallet This project is meant as a drop-in replacement for bitcoind for use in lightweight servers.

This is a wallet based on bitcoinj and does not store the blockchain locally.

A downside is that the walletnotify mechanism and the listtransactions command are not implemented. **This means that there is no easy way for the plugin to be notified of deposits.** Deposits will not be recorded in the transactions table. Users will not be emailed when they perform deposits and they will not be able to see their deposits in the [wallets\_transactions] UI. Deposits will correctly affect users' balances. You have been warned.

Soon there will be a coin adapter based on the online `blockchain.info` service. This will be another option for running a Bitcoin wallet without the overhead of a local copy of the blockchain. Stay tuned.

### How can I integrate it with my site?

Just insert the shortcodes anywhere to create forms to let a logged in user:

- **deposit funds:** [wallets\_deposit]
- **withdraw funds:** [wallets\_withdraw]
- **transfer funds to other users:** [wallets\_move]
- **view their balance:** [wallets\_balance]
- **view past transactions:** [wallets\_transactions]

These shortcodes render knockout.js-enabled forms. Read the shortcodes documentation for more details.

### **I don't like the built-in forms. Can I provide my own?**

First of all, the forms can be styled with CSS. They have convenient HTML classes that you can use.

If you wish to create forms with completely different markup, you can provide your own views for these shortcodes. Use the `wallets_views_dir` filter to override the directory where the views are stored (the default is `wallets/includes/views`). Most people will not need to do this.

Read the shortcodes documentation for more details.

### **I want to do transactions from JavaScript. I don't want to use the provided shortcodes and their associated forms.**

The provided built-in forms talk to a JSON API that is available to logged in users. If you choose to build your own front-end UI, you can do your AJAX calls directly to the JSON API.

Refer to the JSON API documentation for details.

### **I want to do transactions from the PHP code of my theme or plugin.**

You can use the PHP API directly.

Refer to the PHP API documentation for details.

### **How can I get support or submit feedback?**

Please use the support forum on WordPress.org for all issues and inquiries regarding the plugin.

For all other communication, please contact [info@dashed-slug.net](mailto:info@dashed-slug.net).

## Shortcodes

Wallet shortcodes display forms to the front-end that let the user do basic operations with their cryptocurrency accounts.

All the operations accessible via shortcodes are only relevant to logged in users. The shortcodes will only display if:

1. the user is logged in, and
2. there is at least one wallet online.

### Shortcode reference

#### Deposit funds

A screenshot of a web form for depositing funds. It features a label 'Coin:' followed by a dropdown menu with 'Bitcoin' selected. Below this is a label 'Deposit address:' followed by a text input field containing the address '1DaShEDyeAwEc4snWq14hz5EBQXeHrVBxy'.

Coin:

Bitcoin

Deposit address:

1DaShEDyeAwEc4snWq14hz5EBQXeHrVBxy

Use the `[wallets_deposit]` shortcode to display a form that will let the user know which address they can send coins to if they wish to make a deposit.

### Withdraw funds

Coin:

Bitcoin

Withdraw to address:

Amount:

Fee:

฿0.00005000

Transaction comment:

Address label:

SEND

RESET FORM

Use the `[wallets_withdraw]` shortcode to display a form that will let the user withdraw funds. The user will be notified by email when the withdrawal succeeds.



#### Transfer funds to other users

**Coin:**

Bitcoin

**Recipient user:**

luser

**Amount:**

**Transfer comment:**

**Fee:**

฿0.00000100

SEND

RESET FORM

Use the `[wallets_move]` shortcode to display a form that lets the user transfer coins to other users on your site. Both users will be notified by email when the transaction succeeds.

#### Display user balance(s)

**Coin:**

Bitcoin

**Balance:** ฿0.00079295

Use the `[wallets_balance]` shortcode to show the current user's balances.

### View past transactions

Coin:

Bitcoin

Rows per page:

10

Page:

1

Latest transactions

Type	Time	Amount (+fee)	Fee	From	To	Comment	Confirmations
deposit	17/12/2016, 5:17:38 μ.μ.	฿0.00001000	฿0.00000000	1rXEs8Kbj7mcMU1ZAq84Kdm85Vdd2Xg2b2	me		3791
move	27/12/2016, 6:47:19 μ.μ.	฿-0.00001334	฿0.00000100	me	luser	unique test	-
withdraw	30/12/2016, 1:44:37 μ.μ.	฿-0.00006000	฿0.00005000	me	3i1B4pkLQ2VmLZwhuEGto3NAJdeh4xJr1W	withdrawing bitcoins	541

Use the `[wallets_transactions]` shortcode to display an interactive table that shows past deposits, withdrawals and transfers that affect the user's account. The table is paginated and data is loaded dynamically.

### Capturing events on the front-side

Withdraw and move forms use JavaScript to emit bubbling DOM events to denote that a withdrawal or a transfer to another user has succeeded.

The event names are:

- wallets\_do\_withdraw, and
- wallets\_do\_move.

The default behavior is to display informative message boxes using the browser's `alert()` function.

You can bind handlers to these DOM events to override, or to add to, this behavior.

The event handlers have access to the response of the JSON API, and to the form values entered by the user. Here's some example JavaScript code:

#### Observing transfers between users:

```
jQuery('body').on( 'wallets_do_move', function( event, response, symbol, amount, toaccount, coin ) {
    if ( typeof(response.result) == 'string' ) {
        if ( response.result == 'success' ) {
            alert( 'Successfully sent ' + amount + ' ' + symbol );
        } else {
            alert( "Move failed: \n" + response.message );
        }
    } else {
        alert( "Move failed!" );
    }
    event.preventDefault();
});
```

#### Observing withdrawals:

```
jQuery('body').on( 'wallets_do_withdraw', function( event, response, symbol, amount, address, coin ) {
    if ( typeof(response.result) == 'string' ) {
        if ( response.result == 'success' ) {
            alert( 'Successfully withdrew ' + amount + ' ' + symbol + ' to ' + address );
        } else {
            alert( "Move failed: \n" + response.message );
        }
    } else {
        alert( "Move failed!" );
    }
    event.preventDefault();
});
```

The above examples override the default handlers. If you wish to add to the default behavior, simply delete the `event.preventDefault()` statements and let the events bubble up.

## Overriding the default UI

### Using CSS

All the UI elements have the `dashed-slug-wallets` class to help you with CSS styling:

```
.dashed-slug-wallets.move { }  
.dashed-slug-wallets.withdraw { }  
.dashed-slug-wallets.balance { }  
.dashed-slug-wallets.deposit { }  
.dashed-slug-wallets.transactions { }
```

### Using HTML and PHP and JavaScript and CSS and stuff!

If you are a developer, you can override the default forms provided to do much more than just change the styling.

All the UI elements are implemented as `knockout.js` forms that talk to the provided JSON API.

These forms live in the `wp-content/plugins/wallets/includes/views` directory of your WordPress installation:

```
wp-content/plugins/wallets/includes/views/balance.php  
wp-content/plugins/wallets/includes/views/move.php  
wp-content/plugins/wallets/includes/views/deposit.php  
wp-content/plugins/wallets/includes/views/withdraw.php  
wp-content/plugins/wallets/includes/views/transactions.php
```

You can copy these files to another directory of your choosing. Make sure to override the views directory using the `wallets_views_dir` filter, to let the plugin know where to look for the templates. Here's sample code for how to do this:

```
function my_wallets_views_dir_override( $dir ) {  
    return '/path/to/the/directory/where/the/new/templates/are/copied';  
}  
add_filter( 'wallets_views_dir', 'my_wallets_views_dir_override' );
```

## JSON API

The Bitcoin and Altcoin Wallets WordPress plugin exposes two JSON APIs:

1. The transaction API enables logged in users to perform and view transactions from the frontend.
2. The notification API lets the wallet daemons notify the system of incoming transactions. (For bitcoind, this maps to `-walletnotify` and `-blocknotify`).

### Transaction API

#### Get users info

Retrieves usernames and user IDs of all users on the site.

Used by the `[wallets_move]` shortcode UI to display a drop-down selection of users to send coins to.

**URI path:** `/wallets/get_users_info`

**Parameters:** none

**Example response:**

```
{
  "users": [
    {
      "id": 2,
      "name": "luser"
    }
  ],
  "result": "success"
}
```

#### Get coins info

Retrieves information relevant to all the coins enabled on the site.

Used by all shortcode front-ends to display a drop-down selection of available coins.

**URI path:** `/wallets/get_coins_info`

**Parameters:** none

**Example response:**

```
{
  "coins": {
    "LTC": {
```

```

        "name": "Litecoin",
        "symbol": "LTC",
        "icon_url": "http://www.turbox.lan:81/wp-content/plugins/wallets-litecoin/assets",
        "balance": 0.00659988,
        "balance_string": "\u01410.00659988",
        "unconfirmed_balance": 0.00659988,
        "unconfirmed_balance_string": "\u01410.00659988",
        "deposit_address": "LPsj8nDiuBjbvRFR8CDoYhSbd4nDekbBQV"
    },
    "BTC": {
        "name": "Bitcoin",
        "symbol": "BTC",
        "icon_url": "http://www.turbox.lan:81/wp-content/plugins/wallets/includes/../../as",
        "balance": 0.00091565,
        "balance_string": "\u0e3f0.00091565",
        "unconfirmed_balance": 0.00091565,
        "unconfirmed_balance_string": "\u0e3f0.00091565",
        "deposit_address": "mrXEs8Kbj7mcMU1ZAq84Kdm85Vdd2Xg2b2"
    }
},
"result": "success"
}

```

### Get transactions

Retrieve past transaction info (deposits, withdrawals and transfers to other users) of the currently logged in user.

Used by the [wallets\_transactions] shortcode UI to display a paginated table of transactions.

**URI path:** /wallets/get\_transactions/SYMBOL/COUNT/FROM

#### Parameters:

- **SYMBOL:** The coin's symbol, e.g. BTC, LTC, etc. Only transactions regarding this coin will be retrieved.
- **COUNT:** Retrieve this many transactions
- **FROM:** Start retrieving transactions from this offset (for pagination)

#### Example response:

```

{
  "transactions": [
    {
      "category": "deposit",
      "account": "1",
      "other_account": null,

```

```

        "address": "1rXEs8Kbj7mcMU1ZAq84Kdm85Vdd2Xg2b2",
        "txid": "c9c30612ea6ec2509c4505463b6f965ac25e8e2cff6451e480aa3b307377df97",
        "symbol": "BTC",
        "amount": "0.0000100000",
        "fee": "0.0000000000",
        "comment": null,
        "created_time": "2016-12-17 15:22:14",
        "updated_time": "2016-12-30 11:33:14",
        "confirmations": "3249",
        "other_account_name": null,
        "amount_string": "\u0e3f0.00001000",
        "fee_string": "\u0e3f0.00000000"
    },
    {
        "category": "move",
        "account": "1",
        "other_account": "2",
        "address": "",
        "txid": "move-58629b173cb8f0.44669543-send",
        "symbol": "BTC",
        "amount": "-0.0000133400",
        "fee": "0.0000010000",
        "comment": "comment test",
        "created_time": "2016-12-27 16:47:19",
        "updated_time": "2016-12-27 16:47:19",
        "confirmations": "0",
        "other_account_name": "luser",
        "amount_string": "\u0e3f-0.00001334",
        "fee_string": "\u0e3f0.00000100"
    },
    {
        "category": "withdraw",
        "account": "1",
        "other_account": null,
        "address": "1i1B4pkLQ2VmLZwhuEGto3NAJdeh4xJr1W",
        "txid": "fed08f9a90c526f2bb791059a8718d422b8fdbcb55f719bd36b6e3d9717e815e0",
        "symbol": "BTC",
        "amount": "-0.0000600000",
        "fee": "0.0000500000",
        "comment": "withdrawing bitcoins",
        "created_time": "2016-12-30 11:44:37",
        "updated_time": "2016-12-30 12:46:41",
        "confirmations": "12",
        "other_account_name": null,
        "amount_string": "\u0e3f-0.00006000",
        "fee_string": "\u0e3f0.00005000"
    }

```

```

    }
  ],
  "result": "success"
}

```

*All times are GMT.*

### Move funds to another user

Transfers funds to another user. The transfer fee that the administrator has set in the coin adapter is charged to the sender.

**URI path:** /?\_\_wallets\_action=do\_move&\_\_wallets\_symbol=SYMBOL&\_\_wallets\_move\_toaccount=TOACCOUNT

#### Parameters:

- **SYMBOL:** The symbol of the coins to move, e.g. BTC, LTC, etc.
- **TOACCOUNT:** User ID of the recipient. The IDs are accessible via `get_user_info`.
- **AMOUNT:** The amount of coins to transfer, excluding any transaction fees. This is the amount that the recipient is to receive.
- **COMMENT:** A descriptive string that the sender attaches to the transaction.

#### Example response:

```

{
  "result": "success"
}

```

### Withdraw funds to an external address

Transfers funds to another address on the coin's network. The withdrawal fee that the administrator has set in the coin adapter is charged to the sender.

**URI path:** /?\_\_wallets\_action=do\_withdraw&\_\_wallets\_symbol=SYMBOL&\_\_wallets\_withdraw\_address=ADDRESS

#### Parameters:

- **SYMBOL:** The symbol of the coins to move, e.g. BTC, LTC, etc.
- **ADDRESS:** The external address to send coins to.
- **AMOUNT:** The amount of coins to transfer, excluding any transaction fees. This is the amount that the recipient address is to receive.
- **COMMENT:** A descriptive string that the sender attaches to the withdrawal.
- **COMMENT\_TO:** A descriptive string that the sender attaches to the address.

#### Example response:

```

{
  "result": "success"
}

```



## Notification API

### Notify

Notifies the wallets plugin that an event has occurred. The plugin then fires a WordPress action of the form `wallets_notify_TYPE_SYMBOL` with a single `MESSAGE` argument, and adapters can decide how to handle this. The notification API does not require login.

In practice this mechanism is useful for receiving deposits and for updating the confirmation counts of transactions.

For the bitcoin daemon, the `-walletnotify` parameter must be made to call `/wallets/notify/BTC/wallet/TXID` where `TXID` is a transaction ID, and `-blocknotify` must be made to call `/wallets/notify/BTC/block/BLOCKHASH` where `BLOCKHASH` is the hash of the latest block announced on the blockchain.

In general it is the responsibility of coin adapters to inform you of how to set up notification.

**URI path:** `/wallets/notify/SYMBOL/TYPE/MESSAGE`

#### Parameters:

- **SYMBOL:** The symbol of the coin that this notification is about, e.g. BTC, LTC, etc.
- **TYPE:** The notification type, such as wallet, block, alert, etc.
- **MESSAGE:** A string that is the payload of the notification.

#### Example response:

```
{
  "result": "success"
}
```

## PHP API

The Bitcoin and Altcoin Wallets WordPress plugin offers a PHP API.

### Purpose

- You can access the API from your theme to perform transactions on behalf of your users.
- You can develop plugins that utilise the PHP API.
- You can install plugins that the Dashed-Slug releases to extend functionality. Many such plugins are on the roadmap.

### How to call

First you must call `Dashed_Slug_Wallets::get_instance()` to get an instance of the wallets plugin class. Refer to the auto-generated PHPdoc for a complete reference of what you can do and access.

### Security caution

As a side note, this also means that you must double-check what themes and plugins are installed on your site. Every piece of code that your site runs must be trustworthy for security reasons. Do not install themes or plugins from unknown sources without checking the code thoroughly. You should be already aware of this.

## **Download**

This plugin is always available at the dashed-slug download area.

## **Contact and support**

Please use the support forum on WordPress.org for all issues and inquiries regarding the plugin.

For all other communication, please contact [info@dashed-slug.net](mailto:info@dashed-slug.net).